PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2004-051720

(43)Date of publication of application: 19.02.2004

(51)Int.CI.

C10M105/04 C10M117/02 C10M113/12 C10M137/04 C10M137/08 C10M169/02 C10M169/04 // C10N 10:02 C10N 10:04 C10N 20:00 C10N 20:02 C10N 40:02 C10N 50:10

(21)Application number: 2002-209014

(22)Date of filing:

18.07.2002

(71)Applicant: IDEMITSU KOSAN CO LTD

(72)Inventor: KAMIMURA HIDETO

EGAWA TATSUYA

(54) LIQUID LUBRICANT, LUBRICATING OIL COMPOSITION, AND BEARING OIL

(57)Abstract:

PROBLEM TO BE SOLVED: To provide a liquid lubricant which has a high flash point in spite of having a low viscosity and has low evaporability and excellent heat resistance, to provide a lubricant composition, and to provide an oil for a sintered oil-impregnated bearing or an oil for a fluid bearing. SOLUTION: The liquid lubricant comprises 21–29C hydrocarbons and has a kinematic viscosity (40° C) of 6–16 mm2/s, a kinematic viscosity (100° C) of 4.9 mm2/s or lower, a flash point of 180° C or higher, and a pour point of -15° C or lower. The lubricant composition is prepared by adding (B) at least one additive selected from among an antioxidant, a friction modifier, a dispersant, a corrosion inhibitor, a metal inactivator, a defoaming agent, a viscosity index improver, and a thickener to (A) the liquid lubricant. The sintered oil-impregnated bearing oil or the fluid bearing oil comprises the liquid lubricant or the lubricant composition.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office